Centurion Interiors

Partition Systems

Demountable Partitions Glass Partitions Acoustic Glass Doors Timber Doors Bespoke Solutions




Design Manual

System 9000









SYSTEM 9000 DESIGN MANUAL





Contents

Select the headings below to jump to a specific location

- System Overview
- 3D Visualisation
- Single Glazed Details & Section Drawings
 - o Head Details
 - Wall Abutment Details
 - o Base Detail
 - o Timber Door Details
 - o Acoustic Glass Doors Aluminium SGD Details
 - o Acoustic Glass Doors Aluminium DGD Details
 - o Acoustic Glass Doors Aluminium DGD Plus Details
- Narrow Glazed Details & Section Drawings
 - o Head Details
 - o Wall Abutment Details
 - o Base Detail
 - o Timber Door Details
 - Acoustic Glass Doors Aluminium SGD Details
 - o Acoustic Glass Doors Aluminium DGD Details
 - Acoustic Glass Doors Aluminium DGD Plus Details
- Double Glazed Details & Section Drawings
 - o Head Details
 - o Wall Abutment Details
 - o Base Details
 - o Timber Door Details
 - o Acoustic Glass Doors Aluminium SGD Details
 - Acoustic Glass Doors Aluminium DGD Details
 - o Acoustic Glass Doors Aluminium DGD Plus Details
- Component Details
- Door Options & Setting Out





Overview

The System 9000 is a fully glazed frameless partitioning system which combines minimalist aesthetics with outstanding acoustic performance, delivering elegant workspace division. System 9000 offers:

- Single glazed (27mm wide), narrow glazed (54mm wide) and double glazed (102mm wide), options
- Excellent acoustic performances tested to BS EN ISO10140-2 up to 48dB (Rw)
- · Choice of options, including blinds, manifestation, and banding
- Heavy duty barrier rating tested to BS5234 & BS6180
- Designed and manufactured in the UK available ex-stock
- · Powder coated finish in any RAL or BS colour
- Door options include, Acoustic Glass Doors, Frameless glazed doors, Solid Timber doors & Hollow Core Timber.
- Fully demountable and relocatable, delivering a sustainable solution

System 9000 Single Glazed:

Benefiting from ultra-sleek 30mm deep profiles, this version of System 9000 maximises the available floor space throughout builds. Utilising a vast range of toughened and laminated glass options, you can create the perfect environment whilst not having to sacrifice performance. In addition to manifestation and applied graphics, the System 9000 Single Glazed can also be specified with easily applied banding for a stunning art deco industrial appearance.

System 9000 Narrow Glazed:

The Narrow Glazed offers a slim double glazed offering featuring an overal construction width of 54mm. Boasting it's ability to maximise floor space like its single glazed offering, whilst achieving excellent acoustic ratings like its double glazed offering. With the use of our timber door range, the 54mm wide system leaves a clean visual effect showing all elements involved being near pearfectly flush.

System 9000 Double Glazed:

For ultimate confidentiality, System 9000 Double Glazed achieves acoustic values of up 48dB (Rw). This is perfectly complemented by our Acoustic Glass Door options as well as solid core timber doors. The stylish 102mm wide track can accommodate full height toughened and laminated glass up to 3000mm high. As an option to manifestation or banding, integral blinds may also be incorporated using Truline's 2-part blind post system.

Key Features

DIMENSIONS:

Max Height – 3000mm | Max Module Width – 1200mm Track Width & Height: Single Glazed – W27mm, H30mm Narrow Glazed – W54mm, H30mm Double Glazed – W102mm, H30mm

FIRE RATING:

N/A (refer to fire rated option S9000FR)

E PATING: DEPEOPMA

Option with Barrier testing up to Heavy Duty. Contact technical support for details

Single Glazed - Up to 39dB (Rw)

Narrow Glazed - Up to 45dB (Rw)

Double Glazed – Up to 48dB (Rw)

GLAZING OPTIONS:

A range including 10mm to 12.8mm toughened and laminated safety glass.

For futher details, please contact a member of the Technical or Sales Team who will be happy to help.



ACOUSTICS:


















A: SUITABLE FIXINGS


B: TRACK CLEATS

- STRAIGHT (PRODUCT CODE: S9SCLEAT)
- 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 SG	DRG NO	REV
30mm HEAD	PD_CA_1001_S9	Α







A: SUITABLE FIXINGS


B: TRACK CLEATS

- STRAIGHT (PRODUCT CODE: S9SCLEAT)
- 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 40mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD40)
- D: CLEAR SILICONE BEAD
- E: 13mm NOMINAL SAFETY GLASS
 - 13mm MAX HEIGHT: 2700mm

SYSTEM 9000 SG	DRG NO	REV
40mm HEAD	PD_CA_1002_S9	Α







A: SUITABLE FIXINGS

B: 30mm DEEP SINGLE GLAZED WALL CHANNEL (PRODUCT CODE: S9SGHEAD30)

C: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)

D: 10/12mm NOMINAL SAFETY GLASS


• 10mm MAX HEIGHT: 2700mm

• 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 SG	DRG NO	REV
30mm WALL ABUTMENT	PD_CA_2001_S9	Α








- A: SUITABLE FIXINGS
- B: SINGLE GLAZED CHAIR (PRODUCT CODE: S9SGBASE)
- C: SINGLE GLAZED BEAD (PRODUCT CODE: S9BEAD)
- D: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- E: 10/13mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm
 - 13mm MAX HEIGHT: 2700mm (BARRIER GLAZING)

SYSTEM 9000 SG	DRG NO	REV
2-PART WALL ABUTMENT	PD_CA_2002_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- 13mm MAX HEIGHT: 2700mm (BARRIER GLAZING)
- B: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- C: SINGLE GLAZING CHAIR (PRODUCT CODE: S9SGBASE)
- D: GLAZING BEAD (PRODUCT CODE: S9BEAD)
- E: TIMBER GLAZING PACKER (NOM. 11x5mm)
- F: TRACK CLEATS
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)

G: SUITABLE FIXINGS

SYSTEM 9000 SG	DRG NO	REV
2-PART BASE	PD CA 3001 S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD	PD_CA_5001_S9	В








- A: SUITABLE FIXINGS
- B: TRACK CLEATS
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
OFFSET POCKET 30mm DOOR FRAME HEAD	PD_CA_5002_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_5003_S9	В








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
OFFSET POCKET DOOR FRAME WALL ABUTMENT	PD_CA_5004_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: 44mm TIMBER DOOR LEAF

 SYSTEM 9000 SG - TIMBER DOOR
 DRG NO
 REV

 OFFSET POCKET DOOR FRAME JAMB
 PD_CA_5005_S9
 B








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD	PD_CA_5051_S9	Α








- A: SUITABLE FIXINGS
- **B: TRACK CLEATS**
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- H: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
CENTRAL POCKET 30mm DOOR FRAME HEAD	PD CA 5052 S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- F: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_5053_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
CENTRAL POCKET DOOR FRAME WALL ABUTMENT	PD_CA_5054_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- E: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: 44mm TIMBER DOOR LEAF

SYSTEM 9000 SG - TIMBER DOOR	DRG NO	REV
CENTRAL POCKET DOOR FRAME JAMB	PD_CA_5055_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD	PD_CA_7001_S9	D








- **B: TRACK CLEATS**
- - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
OFFSET POCKET 30mm DOOR FRAME HEAD	PD_CA_7002_S9	D








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_7003_S9	D








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- ${\sf F: ACOUSTIC\ GLASS\ DOOR\ -\ ALUMINIUM\ SINGLE\ GLAZED\ DOOR}$

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
OFFSET POCKET DOOR FRAME WALL ABUTMENT	PD CA 7004 S9	D








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
OFFSET POCKET DOOR FRAME JAMB	PD_CA_7005_S9	D








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD	PD_CA_7051_S9	С








- A: SUITABLE FIXINGS
- **B: TRACK CLEATS**
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- H: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- J: 20x2.5mm DOOR FRAME COVER TRIM
- K: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- L: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
CENTRAL POCKET 30mm DOOR FRAME HEAD	PD_CA_7052_S9	С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- F: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- G: 20x2.5mm DOOR FRAME COVER TRIM
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD DRG NO REV
CENTRAL POCKET DOOR FRAME HEAD WITH GLASS ABOVE PD_CA_7053_S9 C








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME WALL ABUTMENT	PD_CA_7054_S9	С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- E: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM SGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME JAMB	PD_CA_7055_S9	С








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD	PD_CA_8001_S9	С








- A: SUITABLE FIXINGS **B: TRACK CLEATS**
- STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
OFFSET POCKET 30mm DOOR FRAME HEAD	PD_CA_8002_S9	С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- F: 20x2.5mm DOOR FRAME OVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_8003_S9	С








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
OFFSET POCKET DOOR FRAME WALL ABUTMENT	PD_CA_8004_S9	С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
OFFSET POCKET DOOR FRAME JAMB	PD_CA_8005_S9	С








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD	PD_CA_8051_S9	В








- A: SUITABLE FIXINGS
- **B: TRACK CLEATS**
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- H: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- J: 20x2.5mm DOOR FRAME COVER TRIM
- K: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- L: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD **DRG NO REV** CENTRAL POCKET 30mm DOOR FRAME HEAD В PD_CA_8052_S9








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- F: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- G: 20x2.5mm DOOR FRAME COVER TRIM
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_8053_S9	В








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME WALL ABUTMENT	PD_CA_8054_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- E: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 SG - ALUMINIUM DGD	DRG NO	REV
CENTRAL POCKET DOOR FRAME JAMB	PD_CA_8055_S9	В








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS	DRG NO	REV
OFFSET POCKET DOOR FRAME HEAD	PD_CA_8001+_S9	В







- A: SUITABLE FIXINGS
- B: TRACK CLEATS
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS

OFFSET POCKET 30mm DOOR FRAME HEAD


DRG NO

PD_CA_8002+_S9

B







- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS

OFFSET POCKET DOOR FRAME HEAD WITH GLASS ABOVE


DRG NO

PD_CA_8003+_S9

B








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS	DRG NO	REV
OFFSET POCKET DOOR FRAME WALL ABUTMENT	PD CA 8004+ S9	В







- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: OFFSET GLAZED DOOR FRAME (PRODUCT CODE: S9SGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS

OFFSET POCKET DOOR FRAME JAMB

DRG NO


REV

PD_CA_8005+_S9

B








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD	PD_CA_8051+_S9	В







A: SUITABLE FIXINGS

B: TRACK CLEATS

- STRAIGHT (PRODUCT CODE: S9SCLEAT)
- 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP SINGLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9SGHEAD30)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: MDF INSERT (PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- G: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- H: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- J: 20x2.5mm DOOR FRAME COVER TRIM
- K: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- L: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS

CENTRAL POCKET 30mm DOOR FRAME HEAD

DRG NO


REV

PD_CA_8052+_S9

B








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: TIMBER GLAZING PACKER (NOM. 11x5mm)
- E: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- F: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- G: 20x2.5mm DOOR FRAME COVER TRIM
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS	DRG NO	REV
CENTRAL POCKET DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_8053+_S9	В








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- C: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- D: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS	DRG NO	REV
CENTRAL POCKET DOOR FRAME WALL ABUTMENT	PD_CA_8054+_S9	В







- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT)
- D: CENTRAL GLAZED DOOR FRAME (PRODUCT CODE: S9SCGFRAME)
- E: LARGE 90° DOOR FRAME CLEAT (PRODUCT CODE: S9CPDCLEAT)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 SG - ALUMINIUM DGD PLUS

CENTRAL POCKET DOOR FRAME JAMB

DRG NO


REV

PD_CA_8055+_S9

B








- A: 100mm DRYWALL CONFIGURATION
- B: WAFER HEAD TEK SCREW
- C: SINGLE GLAZED DRYWALL / INTEGRATION POST (PRODUCT CODE: S9SGIP)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 SG	DRG NO	REV
IN LINE INTEGRATION POST FOR 100mm DRYWALL	PD_CA_9001_S9	Α







A: SUITABLE FIXINGS

B: INLINE TRACK CLEAT (PRODUCT CODE: S9SCLEAT)

C: 30mm NARROW GLAZED HEAD CHANNEL (PRODUCT CODE: S9NGHEAD)

D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)

E: 10/12mm NOMINAL SAFETY GLASS

• 10mm MAX HEIGHT: 2700mm


• 12mm MAX HEIGHT: 3000mm

 SYSTEM 9000 NG
 DRG NO
 REV

 30mm HEAD
 PD_CA_1201_S9
 A







A: SUITABLE FIXINGS

B: 30mm NARROW GLAZED WALL CHANNEL (PRODUCT CODE: S9NGHEAD)

C: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)

D: 10/12mm NOMINAL SAFETY GLASS

• 10mm MAX HEIGHT: 2700mm


• 12mm MAX HEIGHT: 3000mm

 SYSTEM 9000 NG
 DRG NO
 REV

 WALL ABUTMENT
 PD_CA_2201_S9
 A








- A: SUITABLE FIXINGS.
- B: NARROW GLAZED CHAIR (PRODUCT CODE: S9NGBASE)
- C: GLAZING BEAD (PRODUCT CODE: S9BEAD)
- D: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- E: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 NG	DRG NO	REV
2-PART WALL ABUTMENT	PD_CA_2202_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- C: GLAZING BEAD (PRODUCT CODE: S9BEAD)
- D: NARROW GLAZED CHAIR (PRODUCT CODE: S9NGBASE)
- E: TIMBER GLAZING PACKER (NOM. 11x5mm)
- F: TRACK CLEATS
 - INLINE (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)

G: SUITABLE FIXINGS

SYSTEM 9000 NG	DRG NO	REV
2-PART BASE	PD_CA_3201_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR

SYSTEM 9000 NG - TIMBER DOOR	DRG NO	REV
DOOR FRAME HEAD	PD_CA_5201_S9	Α








- A: SUITABLE FIXINGS
- B: INLINE TRACK CLEAT (PRODUCT CODE: S9SCLEAT)
- C: 30mm DEEP NARROW GLAZED HEAD CHANNEL (PRODUCT CODE: S9NGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: 44mm TIMBER DOOR

SYSTEM 9000 NG - TIMBER DOOR	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_5202_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: 44mm TIMBER DOOR

SYSTEM 9000 NG - TIMBER DOOR	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_5203_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR

SYSTEM 9000 NG - TIMBER DOOR	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_5204_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: 44mm TIMBER DOOR

SYSTEM 9000 NG - TIMBER DOOR	DRG NO	REV
DOOR FRAME JAMB	PD_CA_5205_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME HEAD	PD_CA_7201_S9	Α








- A: SUITABLE FIXINGS
- B: INLINE TRACK CLEAT (PRODUCT CODE: S9SCLEAT)
- C: 30mm DEEP NARROW GLAZED HEAD CHANNEL (PRODUCT CODE: S9NGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM SGD	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_7202_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_7203_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_7204_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME JAMB	PD CA 7205 S9	A








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME HEAD	PD_CA_8201_S9	Α








- A: SUITABLE FIXINGS
- B: INLINE TRACK CLEAT (PRODUCT CODE: S9SCLEAT)
- C: 30mm DEEP NARROW GLAZED HEAD CHANNEL (PRODUCT CODE: S9NGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_8202_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_8203_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- ${\sf F: ACOUSTIC\ GLASS\ DOOR\ -\ ALUMINIUM\ DOUBLE\ GLAZED\ DOOR}$

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_8204_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME JAMB	PD_CA_8205_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR PLUS

SYSTEM 9000 NG - ALUMINIUM DGD PLUS	DRG NO	REV
DOOR FRAME HEAD	PD_CA_8201+_S9	Α








- A: SUITABLE FIXINGS
- B: INLINE TRACK CLEAT (PRODUCT CODE: S9SCLEAT)
- C: 30mm DEEP NARROW GLAZED HEAD CHANNEL (PRODUCT CODE: S9NGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR PLUS

SYSTEM 9000 NG - ALUMINIUM DGD PLUS	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_8202+_S9	Α







- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR PLUS

SYSTEM 9000 NG - ALUMINIUM DGD PLUS

DOOR FRAME HEAD WITH GLASS ABOVE


DRG NO

PD_CA_8203+_S9

A








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR PLUS

SYSTEM 9000 NG - ALUMINIUM DGD PLUS	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_8204+_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: NARROW GLAZED DOOR FRAME (PRODUCT CODE: S9NGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR PLUS

SYSTEM 9000 NG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME JAMB	PD_CA_8205+_S9	Α







A: SUITABLE FIXINGS


B: TRACK CLEATS

- STRAIGHT (PRODUCT CODE: S9SCLEAT)
- 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DOUBLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9DGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 DG	DRG NO	REV
30mm HEAD	PD_CA_1101_S9	Α







A: SUITABLE FIXINGS.

B: 30mm DOUBLE GLAZED WALL CHANNEL (PRODUCT CODE: S9DGHEAD)

C: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)

D: 10/12mm NOMINAL SAFETY GLASS


• 10mm MAX HEIGHT: 2700mm

• 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 DG	DRG NO	REV
WALL ABUTMENT	PD_CA_2101_S9	Α








- A: SUITABLE FIXINGS.
- B: DOUBLE GLAZED CHAIR (PRODUCT CODE: S9DGBASE)
- C: GLAZING BEAD (PRODUCT CODE: S9BEAD)
- D: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- E: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 DG	DRG NO	REV
2-PART WALL ABUTMENT	PD_CA_2102_S9	Α







A: GHOST POST T INSERT (PRODUCT CODE: S9GPI)

B: GHOST POST U CHANNEL GASKET (PRODUCT CODE: S9GPUC)

C: DOUBLE GLAZED GHOST POST (PRODUCT CODE: S9DGGP)

D: 10/12mm NOMINAL SAFETY GLASS

• 10mm MAX HEIGHT: 2700mm


• 12mm MAX HEIGHT: 3000mm

 SYSTEM 9000 DG
 DRG NO
 REV

 GHOST POST
 PD_CA_2103_S9
 A








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: FLIPPER GLAZING GASKET (PRODUCT CODE: S9FGASK)
- C: GLAZING BEAD (PRODUCT CODE: S9BEAD)
- D: DOUBLE GLAZED CHAIR (PRODUCT CODE: S9DGBASE)
- E: TIMBER GLAZING PACKER (NOM. 11x5mm)
- F: TRACK CLEATS
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- G: SUITABLE FIXINGS

SYSTEM 9000 DG	DRG NO	REV
2-PART BASE	PD_CA_3101_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR

SYSTEM 9000 DG - TIMBER DOOR	DRG NO	REV
DOOR FRAME HEAD	PD_CA_5101_S9	Α








A: SUITABLE FIXINGS

- **B: TRACK CLEATS**
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP DOUBLE GLAZED HEAD CHANNEL (PRODUCT CODE: S9DGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- H: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- J: 44mm TIMBER DOOR

SYSTEM 9000 DG - TIMBER DOOR	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_5102_S9	Α








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: 44mm TIMBER DOOR

SYSTEM 9000 DG - TIMBER DOOR	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_5103_S9	Α








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- E: 44mm TIMBER DOOR

SYSTEM 9000 DG - TIMBER DOOR	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_5104_S9	Α







A: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)

B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)

C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)

D: DOOR FRAME SEAL (PRODUCT CODE: PTDS)

E: 44mm TIMBER DOOR

F: 10/12mm NOMINAL SAFETY GLASS

• 10mm MAX HEIGHT: 2700mm

• 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 DG - TIMBER DOOR

DOOR FRAME JAMB

DRG NO


REV

PD_CA_5105_S9

A








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM SINGLE GLAZED DOOR	DRG NO	REV
DOOR FRAME HEAD	PD_CA_7101_S9	С







A: SUITABLE FIXINGS **B: TRACK CLEATS**

• STRAIGHT (PRODUCT CODE: S9SCLEAT)

- 90° (PRODUCT CODE: S9CLEAT90)
- 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP DOUBLE GLAZED HEAD CHANNEL


(PRODUCT CODE: S9DGHEAD)

- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM SINGLE GLAZED DOOR **DRG NO REV** 30mm DOOR FRAME HEAD PD_CA_7102_S9 С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- $\hbox{H: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR}\\$

SYSTEM 9000 DG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_7103_S9	С








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_7104_S9	С








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM SINGLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM SGD	DRG NO	REV
DOOR FRAME JAMB	PD_CA_7105_S9	С








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME HEAD	PD_CA_8101_S9	В








- **B: TRACK CLEATS**
 - STRAIGHT (PRODUCT CODE: S9SCLEAT)
 - 90° (PRODUCT CODE: S9CLEAT90)
 - 135° (PRODUCT CODE: S9CLEAT135)
- C: 30mm DEEP DOUBLE GLAZED HEAD CHANNEL
 - (PRODUCT CODE: S9DGHEAD)
- D: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- E: TIMBER PACKER (38x12x900mm. PRODUCT CODE: S9MDF)
- F: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- G: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- H: 20x2.5mm DOOR FRAME COVER TRIM
- J: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- K: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM DGD	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_8102_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: TIMBER PACKER (NOM. 11x5mm)
- E: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- F: 20x2.5mm DOOR FRAME COVER TRIM
- G: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- H: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME HEAD WITH GLASS ABOVE	PD_CA_8103_S9	В








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_8104_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DOUBLE GLAZED DOOR

SYSTEM 9000 DG - ALUMINIUM DGD	DRG NO	REV
DOOR FRAME JAMB	PD_CA_8105_S9	В







SYSTEM 9000 DG - ALUMINIUM DGD PLUS DOOR FRAME HEAD


F: ACOUSTIC GLASS DOOR - ALUMINIUM DGD PLUS

DRG NOPD_CA_8101+_S9

REV B








SYSTEM 9000 DG - ALUMINIUM DGD PLUS	DRG NO	REV
30mm DOOR FRAME HEAD	PD_CA_8102+_S9	В

K: ACOUSTIC GLASS DOOR - ALUMINIUM DGD PLUS







DOOR FRAME HEAD WITH GLASS ABOVE

H: ACOUSTIC GLASS DOOR - ALUMINIUM DGD PLUS
SYSTEM 9000 DG - ALUMINIUM DGD PLUS

REV


В

DRG NO

PD_CA_8103+_S9








- A: SUITABLE FIXINGS
- B: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- C: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- D: 20x2.5mm DOOR FRAME COVER TRIM
- E: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- F: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 DG - ALUMINIUM DGD PLUS	DRG NO	REV
DOOR FRAME WALL ABUTMENT	PD_CA_8104+_S9	В








- 10mm MAX HEIGHT: 2700mm
- 12mm MAX HEIGHT: 3000mm
- B: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- C: 90° DOOR FRAME CLEAT (PRODUCT CODE: S9DCLEAT90)
- D: DOUBLE GLAZED DOOR FRAME (PRODUCT CODE: S9DGFRAME)
- E: 20x2.5mm DOOR FRAME COVER TRIM
- F: DOOR FRAME SEAL (PRODUCT CODE: PTDS)
- G: ACOUSTIC GLASS DOOR ALUMINIUM DGD PLUS

SYSTEM 9000 DG - ALUMINIUM DGD PLUS	DRG NO	REV
DOOR FRAME JAMB	PD_CA_8105+_S9	В








- A: 100mm DRYWALL CONFIGURATION
- **B: WAFER HEAD TEK SCREW**
- C: INTEGRATION POST STEEL FIXING INSERT (PRODUCT CODE: S9IPINS)
- D: DOUBLE GLAZED DRYWALL / INTEGRATION POST (PRODUCT CODE: S9DGIP)
- E: CLIP IN U GASKET (PRODUCT CODE: S9UGASK)
- F: 10/12mm NOMINAL SAFETY GLASS
 - 10mm MAX HEIGHT: 2700mm
 - 12mm MAX HEIGHT: 3000mm

SYSTEM 9000 DG	DRG NO	REV
IN-LINE INTEGRATION POST FOR 100mm DRYWALL	PD_CA_9101_S9	Α









OFFSET GLAZED DOOR FRAME S9SGFRAME

(TO SUIT STANDARD DOOR SIZES)



CENTRE GLAZED DOOR FRAME

S9SCGFRAME (TO SUIT STANDARD DOOR SIZES)






NOTES:

- FINISH: POLYESTER POWDER COATED
- FINISH/VISIBLE FACE: — —
- STANDARD LENGTHS: O 3000mm O 3100mm
- STANDARD DOOR SIZES: REFER TO DOOR OPTIONS BY SCANNING THE QR CODE, ON THE RIGHT


SYSTEM 9000 PRG NO REV
SINGLE GLAZED PROFILE OPTIONS PC_CA_0021_S9 C









30mm DEEP HEAD CHANNEL S9NGHEAD




DOOR FRAME

S9NGFRAME (TO SUIT STANDARD DOOR SIZES)







BEAD S9BEAD

CLIP IN COVER
S9CIC

NOTES:

- FINISH: POLYESTER POWDER COATED

- FINISH/VISIBLE FACE: - - - -

- STANDARD LENGTHS: □ - 3000mm

- STANDARD DOOR SIZES: REFER TO DOOR OPTIONS BY SCANNING THE QR CODE, ON THE RIGHT






SYSTEM 9000 DRG NO REV
NARROW GLAZED PROFILE OPTIONS PC_CA_0045_S9 A







NOTES:

- FINISH: POLYESTER POWDER COATED

- FINISH/VISIBLE FACE: - - - - -

- STANDARD LENGTHS: O - 3000mm O - 3100mm


- STANDARD DOOR SIZES: REFER TO DOOR OPTIONS BY SCANNING THE QR CODE, ON THE RIGHT

TRULINE TO

SYSTEM 9000 DRG NO REV
DOUBLE GLAZED PROFILE OPTIONS PC_CA_0022_S9 B









CLIP IN U GASKET (Black)

(USE WITH 1 PART TRACK) S9UGASK ○

FLIPPER GLAZING GASKET (Black)

(USE WITH CHAIR & BEAD) S9FGASK ○






DOOR FRAME SEAL

PTDS 0

10mm 'I' JOINT GASKET (Clear)

(CORNER OPTIONS AVAILABLE) S9JGASK10 ○





GHOST POST U CHANNEL GASKET

S9GPUC ○

12mm 'I' JOINT GASKET (Clear) (CORNER OPTIONS AVAILABLE)

S9JGASK12 O



GHOST POST T INSERT S9GPI O


NOTES:


- FINISH: NATURAL, FLEXIBLE PVC COMPOUND.
- FINISH/VISIBLE FACE: — —
- STANDARD LENGTHS: O 3000mm


SYSTEM 9000 **DRG NO REV GLAZING ANCILLARIES** PC CA 0023 S9 Α













90° TRACK CLEAT

135° TRACK CLEAT
S9CLEAT135


STRAIGHT TRACK CLEAT
S9SCLEAT






90° DOOR FRAME CLEAT
S9DCLEAT90

90° (CENTRAL POCKET) DOOR FRAME CLEAT S9CPDCLEAT90




GHOST POST BRACKET S9GPB



END CAP S9EC

MITRE BRACKET ANGLE (FOR USE WITH S9SGFRAME)

492937



INTEGRATION POST STEEL FIXING INSERT

(FOR USE WITH S9DGIP) S9IPINS (

NOTES:


- FINISH: NATURAL, PRE-GALVANISED STEEL
- STANDARD LENGTHS: \bigcirc 1600mm

SYSTEM 9000 DRG NO REV
SYSTEM ANCILLARIES SHEET 1 PC_CA_0024_S9 A

CORNER BRACKET
S9CB









STEEL CLIP IN CAPPING SECTION

S9CS1 O S9CS2




LIFT OFF DOOR HINGE

(USE WITH ACOUSTIC GLASS DOOR'S) PTH101A




MDF INSERT

S9MDF O




(80mm Long) S9PB




FIXED PIN DOOR HINGE

(USE WITH TIMBER DOORS) PTH103



STRIKE PLATE (GLASS DOOR)

S9SPG



STRIKE PLATE (TIMBER DOOR)


NOTES:


- FINISH: NATURAL, BRUSHED STAINLESS STEEL NATURAL, PRE-GALVANISED STEEL
- FINISH/VISIBLE FACE: —
- STANDARD LENGTHS: O 900mm o - 1000mm O - 2000mm

SYSTEM 9000 **DRG NO** REV PC_CA_0025_S9 SYSTEM ANCILLARIES SHEET 2 Α










44mm TIMBER DOOR

ALUMINIUM SINGLE GLAZED DOOR (ALUMINIUM SGD)



NOTES:


- FINISH: POLYESTER POWDER COATED

- FINISH/VISIBLE FACE: -----


1981 x 2040 x 2040 x 2700 x 2700 x MADE 1981 x 2040 x - STANDARD SIZES: 762mm 762mm 826mm 926mm 838mm 926mm TO SUIT SYSTEM 3000 - 4000 - 9000 - XP **DRG NO REV** DOOR OPTIONS PC_CA_0007_S3-S4-S9-XP D











CLEARANCE REQUIRMENTS						
DOOR TYPE DIM A DIM B DIM C DIM D DOUBLE DOOMETING STIL						
44mm HOLLOW CORE DOOR	3mm	3mm	3mm	6mm	2mm	
44mm TIMBER DOOR	3mm	3mm	3mm	6mm	2mm	
ALUMINIUM SINGLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	
ALUMINIUM DOUBLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	

OVERALL FRAME HEIGHT				
44mm HOLLOW CORE DOOR	= DOOR LEAF HEIGHT + 45mm			
44mm TIMBER DOOR	= DOOR LEAF HEIGHT + 45mm			
ALUMINIUM SINGLE GLAZED DOOR	= DOOR LEAF HEIGHT + *51mm			
ALUMINIUM DOUBLE GLAZED DOOR	= DOOR LEAF HEIGHT + *51mm			

NOTES:

- DOOR FRAME STILES ARE MANUFACTURED OVERSIZED BY 50mm TO ACCOMMODATE DIFFERENCES IN FLOOR LEVELS, OR INSTALLATION BEFORE COVERINGS. THEY SHOULD THEREFORE BE TRIMMED TO SUIT THE DOOR LEAF, PRIOR TO INSTALLATION.
- SYSTEM 9000 DOOR FRAMES HAVE DIFFERENT SETTING OUT. PLEASE SCAN THE RELEVANT QR CODE FOR SETTING OUT DRAWING.







NARROW GLAZED




REV

D


SYSTEM 9000 SG OFFSET POCKET DOOR FRAME SETTING OUT DETAILS **DRG NO** PD_CA_1009_S9 GLAZED











CLEARANCE REQUIRMENTS						
DOOR TYPE DIM A DIM B DIM C DIM D DOUBLE DOOM						
44mm HOLLOW CORE DOOR	3mm	3mm	3mm	6mm	2mm	
44mm TIMBER DOOR	3mm	3mm	3mm	6mm	2mm	
ALUMINIUM SINGLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	
ALUMINIUM DOUBLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	

OVERALL FRAME HEIGHT				
44mm HOLLOW CORE DOOR	= DOOR LEAF HEIGHT + 52mm			
44mm TIMBER DOOR	= DOOR LEAF HEIGHT + 52mm			
ALUMINIUM SINGLE GLAZED DOOR	= DOOR LEAF HEIGHT + *58mm			
ALUMINIUM DOUBLE GLAZED DOOR	= DOOR LEAF HEIGHT + *58mm			

NOTES:

- DOOR FRAME STILES ARE MANUFACTURED OVERSIZED BY 50mm TO ACCOMMODATE DIFFERENCES IN FLOOR LEVELS, OR INSTALLATION BEFORE COVERINGS. THEY SHOULD THEREFORE BE TRIMMED TO SUIT THE DOOR LEAF, PRIOR TO INSTALLATION.
- SYSTEM 9000 DOOR FRAMES HAVE DIFFERENT SETTING OUT. PLEASE SCAN THE RELEVANT QR CODE FOR SETTING OUT DRAWING.







GLAZED




SYSTEM 9000 SG CENTRAL POCKET DOOR FRAME SETTING OUT DETAILS **DRG NO** PD_CA_1008_S9 GLAZED

REV


D







OVERALL FRAME WIDTH					
DOOR TYPE	SINGLE DOOR	DOUBLE DOOR			
44mm HOLLOW CORE DOOR	= DOOR LEAF WIDTH + 108mm	= DOOR LEAF WIDTH + 110mm			
44mm TIMBER DOOR	= DOOR LEAF WIDTH + 108mm	= DOOR LEAF WIDTH + 110mm			
ALUMINIUM SINGLE GLAZED DOOR	= DOOR LEAF WIDTH + 112mm	= DOOR LEAF WIDTH + 116mm			
ALUMINIUM DOUBLE GLAZED DOOR	= DOOR LEAF WIDTH + 112mm	= DOOR LEAF WIDTH + 116mm			



CLEARANCE REQUIRMENTS						
DOOR TYPE DIM A DIM B DIM C DIM D DOUBLE DOOMETING STILL						
44mm HOLLOW CORE DOOR	3mm	3mm	3mm	6mm	2mm	
44mm TIMBER DOOR	3mm	3mm	3mm	6mm	2mm	
ALUMINIUM SINGLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	
ALUMINIUM DOUBLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm	

OVERALL FRAME HEIGHT				
44mm HOLLOW CORE DOOR	= DOOR LEAF HEIGHT + 60mm			
44mm TIMBER DOOR	= DOOR LEAF HEIGHT + 60mm			
ALUMINIUM SINGLE GLAZED DOOR	= DOOR LEAF HEIGHT + *66mm			
ALUMINIUM DOUBLE GLAZED DOOR	= DOOR LEAF HEIGHT + *66mm			

NOTES:

- DOOR FRAME STILES ARE MANUFACTURED OVERSIZED BY 50mm TO ACCOMMODATE DIFFERENCES IN FLOOR LEVELS, OR INSTALLATION BEFORE COVERINGS. THEY SHOULD THEREFORE BE TRIMMED TO SUIT THE DOOR LEAF, PRIOR TO INSTALLATION.
- SYSTEM 9000 DOOR FRAMES HAVE DIFFERENT SETTING OUT. PLEASE SCAN THE RELEVANT QR CODE FOR SETTING OUT DRAWING.



SINGLE GLAZED OFFSET POCKET



SINGLE GLAZED **CENTRAL POCKET**




SYSTEM 9000 NG DOOR FRAME SETTING OUT DETAILS **DRG NO** PD_CA_1028_S9 GLAZED

REV


Α











CLEARANCE REQUIRMENTS					
DOOR TYPE	DIM A	DIM B	DIM C	DIM D	DOUBLE DOOR MEETING STILES
44mm HOLLOW CORE DOOR	3mm	3mm	3mm	6mm	2mm
44mm TIMBER DOOR	3mm	3mm	3mm	6mm	2mm
ALUMINIUM SINGLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm
ALUMINIUM DOUBLE GLAZED DOOR	5mm	5mm	5mm	*10mm	4mm

OVERALL FRAME HEIGHT				
44mm HOLLOW CORE DOOR	= DOOR LEAF HEIGHT + 60mm			
44mm TIMBER DOOR	= DOOR LEAF HEIGHT + 60mm			
ALUMINIUM SINGLE GLAZED DOOR	= DOOR LEAF HEIGHT + *66mm			
ALUMINIUM DOUBLE GLAZED DOOR	= DOOR LEAF HEIGHT + *66mm			

NOTES:

- DOOR FRAME STILES ARE MANUFACTURED OVERSIZED BY 50mm TO ACCOMMODATE DIFFERENCES IN FLOOR LEVELS, OR INSTALLATION BEFORE COVERINGS. THEY SHOULD THEREFORE BE TRIMMED TO SUIT THE DOOR LEAF, PRIOR TO INSTALLATION.
- SYSTEM 9000 DOOR FRAMES HAVE DIFFERENT SETTING OUT. PLEASE SCAN THE RELEVANT QR CODE FOR SETTING OUT DRAWING.



SINGLE GLAZED OFFSET POCKET



SINGLE GLAZED CENTRAL POCKET



GLAZED

SYSTEM 9000 DG DOOR FRAME SETTING OUT DETAILS **DRG NO** PD_CA_1010_S9

REV

D





INSIDE FRAME HEIGHT ABOVE FFI

HANDLE

OPTIONS


992 €OF HANDLE TO FFL

TOLERANCE (VARIES)

INWARD OPENING ELEVATION

UP TO 2950mm HIGH DOORS

ALL DOOR TYPES



NOTES:

- TO SUIT SYSTEMS 3000, 4000, 9000 & XP DOOR FRAMES C/W ACOUSTIC GLASS DOORS.
- TOLERANCE ADDED FOR ON SITE ADJUSTMENT: XP FRAMES = NONE, ALUMINIUM FRAMES = 50mm, TIMBER FRAMES = 10mm

33.5

INDICATIVE

HINGES

OFFSET PIVOT

- INSIDE FRAME SIZES & GAPS AROUND DOORS VARY, DEPENDING ON DOOR TYPES BEING USED.

FFI

- FOR SYSTEM SPECIFIC SETTING OUT INFORMATION PLEASE REFER TO RELEVANT DRAWINGS.

IRONMONGERY SETTING OUT

TO SUIT ACOUSTIC GLASS DOORS UP TO 2950mm HIGH

DRG NO


REV


PD_CA_1001_ALL

E










NOTES:


- TO SUIT SYSTEMS 2000, 3000, 4000, 9000, XP & TIMBER DOOR FRAMES C/W TIMBER DOORS.
- TOLERANCE ADDED FOR ON SITE ADJUSTMENT: XP FRAMES = NONE, ALUMINIUM FRAMES = 50mm, TIMBER FRAMES = 10mm
- INSIDE FRAME SIZES & GAPS AROUND DOORS VARY, DEPENDING ON DOOR TYPES BEING USED.
- FOR SYSTEM SPECIFIC SETTING OUT INFORMATION PLEASE REFER TO RELEVANT DRAWINGS.
- ALL REFERENCES TO SYSTEM 2000 REFERS SOLEY TO HOLLOW CORE DOOR TYPES


IRONMONGERY SETTING OUTDRG NOREVTO SUIT TIMBER DOORS UP TO 2950mm HIGHPD_CA_1002_ALLE















NOTE:


FOR SYSTEMS 3000, 4000, 9000, XP WITH ACOUSTIC GLASS DOORS


IRONMONGERY OPTIONS	DRG NO	REV
FOR HANDLES, HINGES AND LOCKS IN AGDs	PD_CA_1004_ALL	Α















NOTE:

FOR SYSTEMS 2000, 3000, 4000, 9000, XP & TIMBER DOOR FRAMES WITH TIMBER DOORS

IRONMONGERY OPTIONS	DRG NO	REV
FOR HANDLES, HINGES AND LOCKS IN TIMBER DOORS	PD_CA_1004_ALL	Α



 $03 \frac{\text{SYSTEM } 9000 \text{ SG DOOR FRAME}}{\text{Scale: } 1:2}$

O4 SYSTEM 9000 DG DOOR FRAME Scale: 1.2

NOTE:


- WHERE ACOUSTIC GLASS DOORS HAVE BEEN INSTALLED ON FLOOR SPRINGS, IT IS THE RESPONSIBILITY OF THE FITTER TO SUPPORT THE FLOOR SUFFICIENTLY. THIS IS TO ENSURE THERE IS NO FLEX IN THE FLOOR UNDER LIVE LOADS. IF NOT SUPPORTED ADEQUATELY, UNDER EXTREME CIRCUMSTANCES LIVE LOADS COULD CAUSE THE ACOUSTIC GLASS DOOR TO DETACH FROM ITS PIVOT RESTRAINTS AT THE HEAD OF THE DOOR.
- OFFSET PIVOTS ARE FACTORY FITTED TO EACH ACOUSTIC GLASS DOOR (TOP + BOTTOM)


DETAIL APPLICABLE FOR BOTH OFFSET POCKET DOOR FRAME (SHOWN) AND CENTRAL POCKET DOOR FRAME

ACOUSTIC GLASS DOOR - ALUMINIUM SGD	DRG NO	REV
SETTING OUT OF PIVOT POSITION	PD_CA_1016_ALL	Α











01 XP DOOR FRAME
Scale: 1:2

02 SYSTEM 3000/4000 DOOR FRAME Scale: 1:2





03 SYSTEM 9000 SG DOOR FRAME

04 SYSTEM 9000 DG DOOR FRAME

NOTE:

- WHERE ACOUSTIC GLASS DOORS HAVE BEEN INSTALLED ON FLOOR SPRINGS, IT IS THE RESPONSIBILITY OF THE FITTER TO SUPPORT THE FLOOR SUFFICIENTLY. THIS IS TO ENSURE THERE IS NO FLEX IN THE FLOOR UNDER LIVE LOADS. IF NOT SUPPORTED ADEQUATELY, UNDER EXTREME CIRCUMSTANCES LIVE LOADS COULD CAUSE THE ACOUSTIC GLASS DOOR TO DETACH FROM ITS PIVOT RESTRAINTS AT THE HEAD OF THE DOOR.
- OFFSET PIVOTS ARE FACTORY FITTED TO EACH ACOUSTIC GLASS DOOR (TOP + BOTTOM)

ACOUSTIC GLASS DOOR - ALUMINIUM DGD	DRG NO	REV
SETTING OUT OF PIVOT POSITION	PD_CA_1017_ALL	Α

Contact Us:

Birmingham

NDI, Meridian Way Core 42 Logistics Park Watling Street Tamworth B78 ITX

T: 01213 522 460 **E:** birmingham@ndi.co.uk

London

NDI, Unit 18, IO Centre Kimpton Park Way Sutton SM3 9BW

T: 020 8254 2380 **E:** london@ndi.co.uk

Maidstone

NDI, Loc8, Unit 12 Maidstone ME17 1XG

T: 01622 790 622 **E:** maidstone@ndi.co.uk

Milton Keynes

NDI, Unit 2, Bilton Road Denby East Bletchley MK1 1HW

T: 01908 640 634 **E:** milton.keynes@ndi.co.uk

Newport

NDI, Unit 4 Tregwilym Road Rogerstone Newport NP10 9DQ

T: 01633 898 340 **E:** newport@ndi.co.uk

Newton-Le-Willows

NDI, Unit 7 Anglezarke Road Newton Le Willows WA12 8DJ

T: 01925 220 827 **E:** newtonsales@ndi.co.uk

Poole

NDI, Albany House Elliot Road Poole BH11 8JH

T: 01202 576 006 **E:** poole@ndi.co.uk

ndi.co.uk



Disclaimer

IT IS IMPORTANT THAT YOU READ AND UNDERSTAND THIS STATEMENT BEFORE MAKING USE OF THIS DOCUMENT.

This document is published by Truline Systems. The information contained within this publication is for general information purposes only. The publication has not been prepared to meet the individual requirements of any particular construction project and it is your responsibility to ensure that the construction materials, techniques and processes are suitable for that particular use.

The information contained within this publication is not intended to amount to, nor should it be relied upon as, formal advice or guidance (including from any qualified professional).

The information provided is only to be used and acted on by, or under the supervision of suitably qualified individuals and is correct at the time of going to press. However Truline Systems reserves the right to amend specifications without prior notification in accordance with our policy of continuous development.

The information in this publication is not to be used as a substitute for obtaining suitable independent, professional, qualified and/or specialist advice. If you are not a suitably qualified professional, you must obtain your own independent, specialist advice from a relevant qualified professional for any construction project.

Truline Systems shall not be liable for any loss of profit, revenue, business, contract, opportunity, goodwill, reputation, or any indirect, special or consequential loss arising out of, or in connection with, this publication.

If you have any queries, please contact technical@trulinesystems.co.uk